



**BUY WIIZ LED**

**BUY PEACE OF MIND**

[www.wiizled.com](http://www.wiizled.com)

## Wiiz Lights & Electricals LLP

### Marketing Office:

5-9-112, Beside Red Rose Palace, 3rd Floor, Nampally, Hyderabad-500001, Telangana State, India.  
Tel: +91 040-23378000 / +91 040-23379000 | e-Mail: [info@wiizled.com](mailto:info@wiizled.com)

### Factory:

Plot No. 23, Industrial Park, IDA Mankhal, Ranga Reddy District, Hyderabad, Telangana State, India.



WIIZ LED ARCHITECTURAL LIGHTING PRODUCT CATALOGUE 2023-24





BIS & ISO-9001-2015 registered company

**WIIZ**® **LED**

Lights & Electricals LLP

## WE ASPIRE TO BE THE PREMIERE ONE-STOP DESTINATION TO MAKE IT SIMPLER FOR YOU

Wiiz Led Lights & Electricals LLP, a BIS & ISO-9001-2015 Registered Company, is a flagship venture of Red Rose Group A Diversified & Trusted Group of South India.

After creating a landmark presence in the markets of UAE, KSA, OMAN, EGYPT, QATAR and KUWAIT, we are now ready to cast our footprints in the Indian lights market. To give a bang off to our promising venture in India, we have a new operational modern factory at Mankhal IDA, Hyderabad, Telangana.

We are committed to delight our customers with an extensive business experience, quality assurance, and adherence to industry standards offering an enriched consumer experience.



# Cylindrical Twister

5W/7W 12W/15W 18W/24W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	5W/7W	12W/15W	18W/24W
<b>DIAMETER :</b>	59MM	73MM	87MM
<b>HEIGHT :</b>	75MM	90MM	105MM
<b>CUTOUT :</b>	-	-	-

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



## Application Areas



Showrooms




Institutions



Shops



Residential



## Button Light

3W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

WATTAGE :	3W
DIAMETER :	32MM
HEIGHT :	28MM
CUTOUT :	24MM

LED	CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	SHINLAND/ DARKOO
COLOUR TEMP	3000K / 4000K / 5000K / 6500K
LED BEAM ANGLE	24' / 36' / 60'
CRI	>80
INGRESS PROTECTION	IP20



### Application Areas



Showrooms



Institutions



Shops



Residential



# Eyeball Light

10W/12W/15W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	10W/12W/15W
<b>DIAMETER :</b>	85MM
<b>HEIGHT :</b>	65MM
<b>CUTOUT :</b>	66MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



## Application Areas



Showrooms



Institutions



Shops



Residential



# Rio

7W/10W 12W/15W 18W/24W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	7W/10W	12W/15W	18W/24W
<b>DIAMETER :</b>	68MM	88MM	108MM
<b>HEIGHT :</b>	47MM	52MM	59MM
<b>CUTOUT :</b>	51MM	71MM	91MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



## Application Areas



Showrooms




Institutions



Shops



Residential



# Polo

12W 18W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	12W	18W
<b>DIAMETER :</b>	85MM	99MM
<b>HEIGHT :</b>	79MM	93MM
<b>CUTOUT :</b>	75MM	86MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



## Application Areas



Showrooms




Institutions



Shops



Residential



## Platina Tiltable Light

7W/10W 12W/15W 18W/20W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	7W/10W	12W/15W	18W/20W
<b>DIAMETER :</b>	62MM	83MM	103MM
<b>HEIGHT :</b>	80MM	82MM	100MM
<b>CUTOUT :</b>	53MM	73MM	90MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



### Application Areas



Showrooms



Institutions



Shops



Residential





## Platina Fix

7W/10W 12W/15W 18W/20W

BIS & ISO-9001-2015 registered company



Lights & Electricals LLP



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	7W/10W	12W/15W	18W/20W
<b>DIAMETER :</b>	61MM	82MM	104MM
<b>HEIGHT :</b>	50MM	58MM	67MM
<b>CUTOUT :</b>	52MM	71MM	90MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



Application Areas



Showrooms



Institutions



Shops



Residential



## Glaze

7W/10W 12W/15W 18W/24W 30W 40W/50W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

LED	CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	SHINLAND/ DARKOO
COLOUR TEMP	3000K / 4000K / 5000K / 6500K
LED BEAM ANGLE	24' / 36' / 60'
CRI	>80
INGRESS PROTECTION	IP20

WATTAGE :	7W/10W	12W/15W	18W/24W	30W	40W/50W
DIAMETER :	62MM	86MM	105MM	131MM	170MM
HEIGHT :	60MM	64MM	72MM	74MM	80MM
CUTOUT :	53MM	73MM	93MM	113MM	143MM



### Application Areas



Showrooms



Institutions



Shops



Residential



# Aqua Ip65

12W/15W 18W/20W 30W/40W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	12W/15W	18W/20W	30W/40W
<b>DIAMETER :</b>	85MM	110MM	135MM
<b>HEIGHT :</b>	68MM	77MM	92MM
<b>CUTOUT :</b>	75MM	94MM	120MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP65



## Application Areas



Showrooms



Institutions



Shops



Residential



## Deep Cone Light

7W 12W/15W 18W/20W

BIS & ISO-9001-2015 registered company



Unique Architectural Design



Easy maintenance  
Efficient Lifespan




Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	7W	12W/15W	18W/20W
<b>DIAMETER :</b>	40MM	60MM	74MM
<b>HEIGHT :</b>	57MM	83MM	100MM
<b>CUTOUT :</b>	34MM	52MM	65MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



### Application Areas



Showrooms




Institutions



Shops



Residential



## Shooter

3W 5W



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	3W	5W
<b>DIAMETER :</b>	24MM	30MM
<b>HEIGHT :</b>	65MM	66MM
<b>CUTOUT :</b>	18MM	22MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



### Application Areas



Showrooms



Institutions



Shops



Residential



## Sleak Gimbal Light

12W 12W\*2 12W\*3

BIS & ISO-9001-2015 registered company



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	12W	12W*2	12W*3
<b>DIAMETER :</b>	88MM	167X84MM	250X84MM
<b>HEIGHT :</b>	67MM	68MM	68MM
<b>CUTOUT :</b>	74MM	155X73MM	235X73MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



### Application Areas



Showrooms



Institutions



Shops



Residential



## Neo Combo Pullout

7W\*2 7W\*3 7W\*4

BIS & ISO-9001-2015 registered company



Lights & Electricals LLP



Unique Architectural Design



Easy maintenance  
Efficient Lifespan




Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	7W*2	7W*3	7W*4
<b>DIAMETER :</b>	98X50MM	139X50MM	178X51MM
<b>HEIGHT :</b>	88MM	64MM	87MM
<b>CUTOUT :</b>	87X43MM	127X43MM	162X43MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



### Application Areas



Showrooms



Institutions



Shops



Residential



# Neo Combo Fix

7W\*2 7W\*3 7W\*4

BIS & ISO-9001-2015 registered company



Lights & Electricals LLP



Unique Architectural Design



Easy maintenance  
Efficient Lifespan



Anti Glare  
100 Lumens/w



Customized Beam Angle  
Flicker Free Driver

<b>WATTAGE :</b>	7W*2	7W*3	7W*4
<b>DIAMETER :</b>	98X50MM	139X50MM	178X51MM
<b>HEIGHT :</b>	88MM	64MM	87MM
<b>CUTOUT :</b>	87X43MM	127X43MM	162X43MM

<b>LED</b>	CREE / BRIDGELUX
<b>DRIVER</b>	PHILIPS / FULHAM / OSRAM
<b>REFLECTOR</b>	SHINLAND/ DARKOO
<b>COLOUR TEMP</b>	3000K / 4000K / 5000K / 6500K
<b>LED BEAM ANGLE</b>	24' / 36' / 60'
<b>CRI</b>	>80
<b>INGRESS PROTECTION</b>	IP20



## Application Areas



Showrooms



Institutions



Shops



Residential